Ref	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	42	(plug with indicator).ti.	US-PGPUB; USPAT	OR	OFF	2006/11/18 16:57
L2	41	(door with indicator).ti.	US-PGPUB; USPAT	OR	OFF	2006/11/18 16:58
L3	0	(door with indicator).ti. and plasma	US-PGPUB; USPAT	OR	OFF	2006/11/18 16:58
L4	2	(door with indicator).ab. and plasma	US-PGPUB; USPAT	OR	OFF	2006/11/18 16:58
L5	36	("4503807" "4625678" "4654106" "4657621" "4673101" "4674443" "4687542" "4785962" "4832778" "4842686" "4851018" "4892615" "4907526" "4952299" "4967337" "4999458" "4999671" "5002010" "5013384" "5019233" "5092728" "5125360" "5135635" "5145303" "5202008" "5260547" "5275303" "5316794" "5345814" "5362526" "5398481" "5401319" "5435682" "5536330" "5565058" "5582866").PN.	US-PGPUB; USPAT; USOCR	OR .	OFF	2006/11/18 17:01
L6	1	"3694749".pn.	USPAT	OR	OFF	2006/11/18 17:12
S1	1716	fink.in.	US-PGPUB; USPAT	OR	OFF	2006/11/18 16:23
S2	47	(steven near fink).in.	US-PGPUB; USPAT	OR	OFF	2005/06/14 12:58
S3	0	radio near frequency with contact with (status confir\$6) and plasma	US-PGPUB; USPAT	OR	OFF	2005/06/14 13:00
S4	1	radio near frequency with de-energized and plasma	US-PGPUB; USPAT	OR	OFF	2005/06/14 13:08
S5	19	radio near frequency with de-energized	US-PGPUB; USPAT	OR	OFF	2005/06/14 13:01
S6	. 54	energy with de-energized and plasma	US-PGPUB; USPAT	OR	OFF	2005/06/14 13:34
S7	22	radio with frequency with energy with interface with connect\$5	US-PGPUB; USPAT	OR	OFF	2005/06/14 13:42
S8	1	radio with frequency with impedance with match\$4 with interface with connect\$5	US-PGPUB; USPAT	OR	OFF	2005/06/14 13:44
S9	1	radio with frequency with connector with impedance with match\$4 with interface	US-PGPUB; USPAT	OR	OFF	2005/06/14 13:44

Page 1

						1
S10	22	radio with frequency with connector with impedance with match\$4	US-PGPUB; USPAT	OR	OFF	2005/06/14 13:45
S11	1	radio with frequency with connector with impedance with match\$4 and plasma	US-PGPUB; USPAT	OR	OFF	2005/06/14 13:47
S12	15	radio with frequency with connector and impedance with match\$4 same plasma	US-PGPUB; USPAT	OR	OFF	2005/06/14 13:51
S13	10	radio with frequency with interface and impedance with match\$4 same plasma	US-PGPUB; USPAT	OR	OFF	2005/06/14 13:51
S14	1	"20040189336"	US-PGPUB; USPAT	OR	OFF	2005/09/14 15:46
S15	0	("2004/0189336").URPN.	USPAT	OR	OFF	2005/09/14 16:21
S16	592	door with lock with indicator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 18:22
S17	87	(door with lock with indicator).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 18:23
S18	0	plasma with door with indicator	USPAT	OR	OFF	2005/09/14 19:09
S19	27	plasma and door with indicator	USPAT	OR	OFF	2005/09/14 19:09
S20	17	plasma and door with open with indicator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 19:15
S21	46	cable with joint with indicator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 19:25
S22	0	340/572.8,572.9,635,568.4,568.1, 568.2,568.3.ccls. and diengage\$2 same signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 15:20

S23	0	340/572.8,572.9,635,568.4,568.1, 568.2,568.3.ccls. and diengage\$2 same signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:20
S24	35	340/572.8,572.9,635,568.4,568.1, 568.2,568.3.ccls. and disengage\$2 same signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:27
S25	44	324/72.5,158.1,754,757.ccls. and disengage\$2 same signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:35
S26	4	"20020109518"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:36
S27	0	(plasma with door with indicator).ti.	USPAT	OR	OFF	2006/05/26 15:17
S28	3	(plasma with indicator).ti.	USPAT	OR	OFF	2006/05/26 15:19
S29	7	(short with indicator).ti.	USPAT	OR	OFF	2006/05/26 15:19
S30	51	(contact with confirmation).clm.	USPAT	OR	OFF	2006/05/26 15:55
S31	7	(contact with confirmation).ab.	USPAT	OR	OFF	2006/05/26 15:58
S32	0	(disengagement with confirmation). ab.	USPAT	OR	OFF	2006/05/26 15:57
S33	2	(disengagement with confirm\$5). ab.	USPAT	OR	OFF	2006/05/26 15:57
S34	3327	(contact with sensor).ab.	USPAT	OR	OFF	2006/05/26 15:58
S35	322	(contact with sensor).ti.	USPAT	OR	OFF	2006/05/26 15:58
S36	61	(contact near sensor).ti.	USPAT	OR	OFF	2006/05/26 15:58
S37	0	(contact near sensor and probe).ti.	USPAT	OR	OFF	2006/05/26 15:59
S38	22	(contact near sensor and probe).ab.	USPAT	OR	OFF	2006/05/26 15:59
S39	.71	(continuity with tester).ti.	USPAT	OR	OFF	2006/05/26 16:48
S40	26	(continuity with tester).ti. and indicator	USPAT	OR	OFF	2006/05/26 16:48
S41	6	("3979193" "4670709" "4740745" "4839599" "5285163" "5612616").PN. OR ("6437580"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 17:06

URPN.	S42	41	("2840781" "3718859" "4074245" "4097843" "4164701" "4164702" "4225817" "4382225" "4670709" "4929887" "5043670").PN. OR ("5285163").	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 17:07
-------	-----	----	---	------------------------------	----	-----	------------------